

IV.APEC..HZ
91.1%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.ASQU..HHZ
98.2%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.ASQU..BHZ
97.8%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.BDI..HZ
96.0%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.BDI..BHZ
28.1%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.BOB..HZ
93.9%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.BOB..BHZ
53.5%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.BRIS..HZ
96.4%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.BRM0..HZ
99.5%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.BRM0..BHZ
99.5%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.CAVE..HHZ
98.6%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.CELB..HHZ
91.8%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.CELB..BHZ
91.8%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.CRE..HHZ
96.2%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.CRE..BHZ
96.2%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.CRMI..HHZ
94.8%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.CRMI..BHZ
94.6%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.CSNT..HHZ
92.6%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.CSNT..BHZ
93.0%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.CTI..HHZ
92.9%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.CTI..BHZ
0.0%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.FIR..HHZ
76.1%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.FNVD..HZ
86.1%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.FNVD..BHZ
67.1%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.FSSB..HHZ
98.5%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.FSSB..BHZ
98.5%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.FVI..HZ
87.6%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.FVI..BHZ
0.0%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.GROG..HZ
94.9%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.GROG..BHZ
94.4%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.IMI..HHZ
44.0%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.IMI..BHZ
43.1%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.LMD..HHZ
98.5%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.MABI..HZ
98.8%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.MABI..BHZ
98.0%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.MAGA..HZ
66.2%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.MAGA..BHZ
0.0%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.MDI..HHZ
58.7%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.MILN..HHZ
97.7%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.MONC..HZ
96.1%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.MONC..BHZ
95.9%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.MRGE..HHZ
93.8%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.MRGE..BHZ
93.6%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.MSSA..HZ
97.1%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.MSSA..BHZ
96.8%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.MTRZ..HHZ
98.2%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.MTRZ..BHZ
97.7%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.NARO..HZ
74.6%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.OPPE..HHZ
93.1%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.ORZI..HZ
100.0%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.OSSC..HHZ
98.2%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.OSSC..BHZ
98.2%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.PARC..HZ
76.0%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.PARC..BHZ
79.0%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.PESA..HHZ
87.0%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.PESA..BHZ
87.0%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.PII..HHZ
86.2%

Jan 2016

Mar 2016


May 2016


Jul 2016

Sep 2016

Nov 2016

Jan 2017





IV.PLMA..BHZ
97.7%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.PRMA..HZ
99.9%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.PRMA..BHZ
0.0%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.PTCC..HHZ
99.5%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.PTCC..BHZ
99.5%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.QLNO..HZ
95.6%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.QLNO..BHZ
95.3%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.ROVR..HZ
96.5%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.ROVR..BHZ
96.3%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.RSM2..HHZ
90.8%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.RSM2..BHZ
0.0%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.SALO..HZ
95.1%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.SALO..BHZ
95.0%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.SARZ..HHZ
98.0%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.SEI..HZ
51.5%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.STAL..HZ
88.5%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.STAL..BHZ
88.5%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.TEOL..HHZ
99.9%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.TEOL..BHZ
99.9%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.VARE..HZ
91.3%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.ZCCA..HHZ
96.7%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.ZCCA..BHZ
96.7%

Jan 2016

Mar 2016


May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017



IV.ZONE..HZ
99.6%

Jan 2016

Mar 2016

May 2016

Jul 2016

Sep 2016

Nov 2016

Jan 2017

